

RESTRICTED USE PESTICIDE

Due to Avian Toxicity

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.

EPA SLN NO.
MI-820025



FOR DISTRIBUTION
AND USE ONLY IN
MICHIGAN

Furadan® 15G

Insecticide-Nematicide

For Agricultural or Commercial Use Only

EPA REG. No. 279-3023

EMERGENCY CALLS: 800-331-3148

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN
A MANNER INCONSISTENT WITH ITS LABELING.

CROP	PEST	RATE OF APPLICATION
Cucurbits (Cucumber, Melons, Squash, Pumpkins)	Striped Cucumber Beetles Nematodes	24 ozs. per 1,000 linear feet of row

DIRECTIONS FOR USE:

Apply Furadan 15G at planting at the rate of 24 ounces per 1,000 linear feet of row.

Apply in a 12 to 15 inch band and incorporate into the top 3 inches of soil.

CROP	PEST	RATE OF APPLICATION
Cucurbits (Cucumber, Melons, Squash, Pumpkins)	Striped Cucumber Beetles only	6 to 12 ozs. per 1,000 linear feet of row

DIRECTIONS FOR USE:

Apply Furadan 15G at planting at the rate of 6 to 12 ounces per 1,000 linear feet of row . Apply in a 7 to 12 inch band and incorporate into the top 3 inches of soil -- OR -- apply at planting or transplanting by directing the applicator tube directly behind the planter so that the granules drop into the furrow and mix with the covering soil.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL ARE TO BE FOLLOWED.

PERSONAL PROTECTIVE EQUIPMENT AND REENTRY INTERVALS ON THIS 24C OR ON THE BASIC LABEL MUST BE FOLLOWED.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

Code 3669 7/98

24(c) Registrant:
FMC Corporation
Agricultural Chemical Group
1735 Market Street
Philadelphia, PA 19103

Expiration Date: September 5, 2008

FMC®

Furadan and FMC - FMC Trademarks

MI-820025